



You'll find us in all the right places.®



General Information

Minimum order requirement is \$250.
Each product is identified by size and color with a case code number. Please use this number when ordering.

Order Codes

DAP manufacturer's code No: 70798

Customer Service Information

Call our Customer Service Department for assistance on order placement, deliveries, billing inquiries and authorization to return materials.

Mail correspondence and confirming purchase orders to:

DAP Products Inc.
2400 Boston Street, Suite 200
Baltimore, MD 21224
Fax order to: 410-558-1068
E-mail order to: orders@dap.com

Customer Service Department

800-DAP-3339
410-675-2100
(8:00 a.m. – 6:00 p.m. Eastern Time)

International Customer Service

800-323-0645
(8:00 a.m. – 6:00 p.m. Eastern Time)

Technical Customer Service

888-327-8477 or 888-DAP-TIPS
(8:00 a.m. – 6:00 p.m. Eastern Time)

Corporate Office

800-543-3840
410-675-2100

Supplemental Price Lists

For a copy of a current price list and conditions of sale, please contact your sales representative.

SDS Requests

To obtain an SDS for any DAP product, please visit our website www.dap.com or call 888-DAP-TIPS.

Reduce Environmental Impact by Choosing Low VOC Content Products



DAP is dedicated to the development of adhesives and sealants with low volatile organic compound (VOC) content. Many of our products actually have a low enough VOC content, indicated by this symbol, to meet one or more of the guidelines outlined below:

- The South Coast Air Quality Management District (SCAQMD) Rule # 1168
- The Bay Area Air Quality Management District Regulation 8, Rule 51
- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction & Major Renovations Version 2.2, EQ Credit 4.1 (Indoor Environmental Quality – Low Emitting Materials: Adhesives & Sealants)
- NAHB Model GREEN Home Building Guideline Section 7.1.3 (Global Impact - Products)

Increase Energy Efficiency by Sealing the Building Envelope



In order to meet green building guidelines for energy efficiency you will need to take an integrated and comprehensive approach to an energy efficient design of the building site, the building envelope and mechanical space conditioning systems. Utilize products highlighted with this symbol when sealing the building envelope in accordance with the following guidelines:

- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction and Major Renovations Version 2.2, EA Prerequisite 2 for Minimum Energy Performance. (Energy & Atmosphere – Minimum Energy Performance)
- NAHB Model GREEN Home Building Guidelines Section 3.3.1 Building Envelope (PP) B. (Energy Efficiency – Implement an Integrated and Comprehensive Approach to Energy – Efficient Design of Building Site, Building Envelope and Mechanical Space Conditioning Systems)
- ANSI/ASHRAE/IESNA Standard 90.1-2004 – Energy Standard for Buildings Except Low Rise Residential Buildings SI Edition – Section 5.4 and 5.5 (Building Envelope)



Retail Product Guide

Table of Contents

DAP® Caulks & Sealants 1–15

Indoor/Outdoor Caulks	1
Kitchen/Bath Caulks	4
Specialty Sealants	5
Specialty Sealants - Fire System Sealants	8
Insulating Foam Sealants	9
Indoor/Outdoor Advanced Sealants & Silicones	10
Kitchen/Bath Advanced Sealants & Silicones	11
Specialty Advanced Sealants & Silicones	12
Miscellaneous Products	15

DAP® Repair Products 16–31

Spackling Compounds	16
Glazing Compounds	19
Wood Fillers	20
Concrete & Masonry Products	23
Joint Compounds	26
Plasters & Stuccos	27
Miscellaneous Products	30

DAP® Construction Adhesives 32–46

Contact Cements	32
Industrial Contact Cements	33
Specialty Adhesives	34
Cartridge & Canned Construction Adhesives	37
VOC-Compliant Construction Adhesives	40
Floor Covering Adhesives	44

Merchandising Racks 47

Index 48



®

Notes



DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Indoor/outdoor use. Exceeds ASTM Specification C834.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various product variants like 18128, 18129, 18152, etc.

DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone Contractor Pack



Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX PLUS® Acrylic Latex Caulk Plus Silicone.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists contractor pack variants like 18656, 18660.

DAP® ALEX PLUS® Easy Caulk Acrylic Latex Caulk Plus Silicone



ALEX PLUS® formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED. Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and for smaller jobs. Indoor/outdoor use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists easy caulk variant 18736.



DAP® ALEX Fast Dry® Acrylic Latex Caulk Plus Silicone

Ready to paint in 30 minutes so you can finish the job faster. This durable, flexible caulk won't crack paint. Cured caulk is mold and mildew resistant. Easy to apply and tool. Provides a waterproof seal with excellent adhesion. Easy water clean-up. Indoor/outdoor use. Exceeds ASTM Specification C834.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18425	10.1 OZ	WHITE	18425	14.75	12	8"x6"x12"	0.33	1	108
18405	5.5 OZ	WHITE	11425	8.00	12	9.5"x7.25"x4.25"	0.17	8	240

DAP® ALEX Fast Dry® Acrylic Latex Caulk Plus Silicone Contractor Pack

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX Fast Dry® Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18426	10.1 OZ	WHITE	18425	14.75	12	8"x6"x12"	0.33	1	108

DAP® DYNAFLEX 230® Premium Indoor/Outdoor Sealant

DAP's most advanced latex sealant technology. It combines the superior flexibility of a silicone with the easy tooling, excellent paintability, low odor and water clean-up of a latex. Provides outstanding durability and adhesion for a seal that is both waterproof and paintable. Highly flexible to handle joint movement caused by variations in temperature and humidity without cracking. Ideal for sealing air leaks around windows, doors, siding, trim and baseboards to improve the energy efficiency of a home and reduce utility costs. Cured sealant is mold and mildew resistant. Indoor/outdoor use. Meets ASTM Specification C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18357	5.5 OZ	CLEAR	18357	8.01	18	10.5"x4.5"x10.5"	0.28	5	99
18285	5.5 OZ	WHITE	18285	10.74	18	10.5"x4.5"x10.5"	0.28	1	99
18275	10.1 OZ	WHITE	18300	13.10	12	8"x6"x12"	0.33	1	108
18607	10.1 OZ	WHITE	18300	32.53	30	12"x10"x12"	0.83	1	48
18412	10.1 OZ	CEDAR TAN	18412	13.50	12	8"x6"x12"	0.33	1	108
18286	10.1 OZ	ALUMINUM GRAY	18301	13.09	12	8"x6"x12"	0.33	8	108
18418	10.1 OZ	BROWN	18302	13.30	12	8"x6"x12"	0.33	5	108
18420	10.1 OZ	DARK BRONZE	18303	13.29	12	8"x6"x12"	0.33	2	108
18304	10.1 OZ	CLEAR	18305	10.01	12	8"x6"x12"	0.33	6	108
18355	10.1 OZ	CLEAR	18305	24.81	30	12"x10"x12"	0.83	6	48
18288	10.1 OZ	ALMOND	18306	13.16	12	8"x6"x12"	0.33	3	108
18280	10.1 OZ	BLACK	18280	13.00	12	8"x6"x12"	0.33	6	108



**DAP® ALEX®
Painter's Acrylic
Latex Caulk**

All-purpose acrylic latex painter's caulk. Applies smoothly and easily. Adheres to wood, plaster, drywall and masonry. Resists cracking and chalking. Paintable. Easy water clean-up. Indoor/outdoor use. Meets ASTM Specification C834 for extrudability, artificial weathering, extension-recovery and slump.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18670	10.1 OZ	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108
18609	10.1 OZ	WHITE	18065	35.80	30	12"x10"x12"	0.83	9	48

**DAP® ALEX®
Painter's Acrylic
Latex Caulk
Contractor Pack**

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18618	10.1 OZ	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108

**DAP® RELY-ON®
Latex Caulk**

Economical latex for general caulking purposes. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18260	10.1 OZ	WHITE	18250	14.40	12	8"x6"x12"	0.33	9	108



DAP® KWIK SEAL PLUS® Premium Kitchen & Bath Adhesive Sealant with MICROBAN® Antimicrobial Product Protection

Premium adhesive sealant with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the sealant. Specially formulated siliconized latex provides maximum adhesion and flexibility for a durable, waterproof seal. Paintable. Easy water clean-up. Low odor. Backed by a Crack-Proof Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18546	5.5 OZ	CLEAR	18546	5.28	12	9.5"x7.25"x4.25"	0.17	3	240
18526	5.5 OZ	GLOSS WHITE	18526	5.30	12	9.5"x7.25"x4.25"	0.17	5	240
18539	5.5 OZ	GLOSS BISCUIT	18539	5.32	12	9.5"x7.25"x4.25"	0.17	5	240
18516	10.1 OZ	CLEAR	18516	9.91	12	8"x6"x12"	0.33	6	108
18510	10.1 OZ	GLOSS WHITE	18510	9.95	12	8"x6"x12"	0.33	4	108
18519	10.1 OZ	GLOSS BISCUIT	18519	10.00	12	8"x6"x12"	0.33	7	108

DAP® KWIK SEAL® Kitchen & Bath Adhesive Caulk

Bonds like a glue and seals like a caulk. Provides a durable, waterproof seal. Excellent adhesion. Tools easily. Cured caulk is mold and mildew resistant. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18001	5.5 OZ	WHITE	18001	7.58	12	9.5"x7.25"x4.25"	0.17	7	240
18008	5.5 OZ	CLEAR	18008	5.19	12	9.5"x7.25"x4.25"	0.17	6	240
18013	5.5 OZ	ALMOND	18013	7.52	12	9.5"x7.25"x4.25"	0.17	0	240
18032	10.1 OZ	WHITE	18002	14.17	12	8"x6"x12"	0.33	4	108
18242	10.1 OZ	CLEAR	18242	9.76	12	8"x6"x12"	0.33	4	108



DAP® Premium Polyurethane Adhesive Sealant

A one-part, moisture-curing, non-sag elastomeric commercial-grade sealant. It is specifically formulated to provide a long-lasting, durable seal when filling exterior gaps, joints and cracks. This high-performance sealant offers superior adhesion to most substrates and remains flexible to withstand up to ±35% joint movement when installed into a properly prepared joint. Exceptional cut and tear resistance. Handles foot and vehicle traffic. Paintable. Indoor/Outdoor use. Meets or exceeds ASTM C920, Type S, Grade NS, Class 35. Use T, NT, O, M, I. CAN/CGSB 19.13-M87 and Federal Specification TT-S-00230C, Type II, Class A.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18810	10.1 OZ	WHITE	18810	12.85	12	8"x6"x12"	0.33	5	132

DAP® Premium Polyurethane Roof & Flashing Sealant

A one-part, moisture-curing, non-sag elastomeric commercial-grade sealant. It is specifically formulated to provide a long-lasting, durable seal when filling exterior gaps and joints in a variety of roof surfaces. This high-performance sealant offers superior adhesion to most substrates and remains flexible to withstand up to ±35% joint movement when installed into a properly prepared joint. Exceptional cut and tear resistance. Handles foot and vehicle traffic. Paintable. Indoor/Outdoor use. Meets or exceeds ASTM C920, Type S, Grade NS, Class 35. Use T, NT, O, M, I. CAN/CGSB 19.13-M87 and Federal Specification TT-S-00230C, Type II, Class A.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18816	10.1 OZ	BLACK	18816	14.10	12	8"x6"x12"	0.33	7	132

DAP® Premium Polyurethane Concrete & Masonry Sealant

A one-part, moisture-curing, non-sag elastomeric commercial-grade sealant. It is specifically formulated to provide a long-lasting, durable seal when filling exterior gaps and cracks in concrete, stone and masonry. This high-performance sealant offers superior adhesion to most substrates and remains flexible to withstand up to ±35% joint movement when installed into a properly prepared joint. Exceptional cut and tear resistance. Handles foot and vehicle traffic. Paintable. Indoor/Outdoor use. Meets or exceeds ASTM C920, Type S, Grade NS, Class 35. Use T, NT, O, M, I. CAN/CGSB 19.13-M87 and Federal Specification TT-S-00230C, Type II, Class A.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18814	10.1 OZ	GRAY	18814	14.50	12	8"x6"x12"	0.33	3	132



DAP® Gutter & Flashing BUTYL-FLEX® Sealant

Butyl rubber formula provides a durable, flexible and waterproof seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Meets ASTM Specification C1085.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18182	10.1 OZ	WHITE	18184	13.75	12	8"x6"x12"	0.33	7	108
18188	10.1 OZ	ALUMINUM GRAY	18185	13.75	12	8"x6"x12"	0.33	4	108

DAP® BUTYL-FLEX® Gutter & Flashing VOC-Compliant Adhesive

Butyl rubber-based, lower solvent formula provides a durable, flexible and waterproof bond for gutters, drainspouts, lap joints, flashing, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27062	10.1 OZ	WHITE	27062	13.75	12	8"x6"x12"	0.33	6	108

DAP® Concrete & Masonry Filler & Sealant

High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Paintable. Easy water clean-up. Indoor/outdoor use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18096	10.1 OZ	GRAY	18021	14.87	12	8"x6"x12"	0.33	5	108

DAP® SEAL 'N PEEL® Removable Weatherstrip Caulk

Unique, removable weatherstrip caulk to seal drafty windows and doors. Saves energy and reduces utility costs. Provides a temporary waterproof and weatherproof seal. Peels away easily when removal is desired. Won't damage painted surfaces. Indoor/outdoor use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18354	10.1 OZ	CRYSTAL CLEAR	18324	13.30	20	10.25"x8.25"x12.5"	0.61	7	57



DAP® Clear Flexible Sealant

High performance, elastomeric clear sealant. Excellent adhesion even on damp surfaces. Stays crystal clear and flexible. Excellent UV resistance. Cured sealant is mildew resistant. Paintable. Indoor/outdoor use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18384	10.1 OZ	CRYSTAL CLEAR	18376	9.25	12	8"x6"x12"	0.33	6	105

DAP® Roof Asphalt Filler & Sealer

High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and waterproof seal. Can be used for both wet and dry applications. Will not run or bubble.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18268	10.1 OZ	BLACK	18270	14.51	12	8"x6"x12"	0.33	7	108

DAP® Blacktop Asphalt Filler & Sealer

High performance, asphalt-based compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18020	10.1 OZ	BLACK	18017	14.51	12	8"x6"x12"	0.33	8	108

DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer

Asphalt-based, low solvent formulation for the quick and easy repair of cracks in asphalt surfaces. Perfect for playgrounds, driveways, pavement and parking lots. Provides a durable, waterproof, elastic seal. Repairs are ready for traffic in 24 hours. Textured for a professional looking finish. Resists gas, oil, grease and salt.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27065	10.1 OZ	TEXTURED BLACK	27065	15.00	12	8"x6"x12"	0.33	7	108



DAP® BLOCKADE®
Fire-Rated High Performance
Intumescent Acrylic Latex
Sealant

Meets ASTM E814/UL 1479 Specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red color for easy inspection.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18858	10.1 OZ	RED	18858	12.25	12	8"x6"x12"	0.33	7	132

DAP® Fire Stop
Fire-Rated
Silicone Sealant

Meets ASTM E814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of ±25% dynamic joint movement.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18806	10.1 OZ	LIMESTONE GRAY	18806	12.75	12	8"x6"x12"	0.33	8	132

DAP® High Heat Mortar
Fire-Resistant Mortar

A non-combustible silicate cement for applications in wood frame construction where an ASTM E136 sealant is required. Can also be used for patching and sealing around fireplaces and wood-burning stoves. Withstands temperatures up to 2000°F, sets rock hard when fired. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18854	10 OZ	BLACK	18854	15.60	12	8"x6"x12"	0.33	9	102

DAP® Fireblock Foam
Polyurethane Foam Sealant

Quickly fill and seal large gaps around vents, pipes, ducts and wires and at wall-to-floor or ceiling-to-floor joints. Evaluated per ICC-ES Report ESR-1868. For use in Type V residential construction, the foam is bright orange for easy code identification and expands 2-1/2 to 3 times its dispensed size. Just one can of this expanding foam yields up to fifteen large caulk tubes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
44242	12 OZ	ORANGE	44242	10.00	9	9.12"x9.12"x9.25"	0.45	9	100





DAPtex® Plus Multi-Purpose Foam Sealant

Designed to meet the tough standards demanded for professional window and door installations while effectively filling and sealing large cracks, gaps and voids. Unlike polyurethane foams, DAPtex® Plus will not overexpand, is toolable, moldable and cleans up easily with water. Remains soft and flexible when dry so it will not bow, buckle or distort frames. The innovative latex polymer foam technology provides water resistance and is paintable with latex paints once cured. Helps reduce energy loss as well as pest infiltration. Ideal for sealing air leaks to improve energy efficiency and reduce heating and cooling costs. Non-clogging, reusable applicator. Indoor/outdoor use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18836	12 OZ	WHITE	18836	13.14	12	10.75"x8.25"x8.5"	0.44	5	90

DAP® KWIK FOAM® Polyurethane Insulating Foam Sealant

A one-part, moisture-curing polyurethane foam sealant that expands to fill and seal large cracks, gaps and cavities. Stops air, moisture and pest infiltration. Will not shrink or degrade. Reusable for up to 30 days unlike standard one-time use polyurethane foams. Waterproof. Contains a flame retardant. Indoor/outdoor use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18230	12 OZ	TAN	18230	13.10	12	12"x9.25"x8.5"	0.55	1	75
18232	24 OZ	TAN	18232	23.50	12	11.75"x9.5"x11.75"	0.76	5	48



DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant

DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant is ideal for sealing windows, door frames, corner joints, siding, trim, butt joints, baseboards, molding, pipes, ducts and vents. It is paintable in 30 minutes to help complete the job faster and save time. In addition, DAP® 3.0™ is 100% waterproof and is water resistant in 30 minutes which reduces the risk of ruining the caulk job by getting it wet too early from incidental rain or water contact. For exterior projects, you can seal up gaps and cracks just 30 minutes before rain is forecasted. Also, DAP® 3.0™ offers extreme temperature use so it can be applied in temperatures ranging from 20°F to 120°F. Meets ASTM C920.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 18360 (White) and 18362 (Crystal Clear).

DAP® SILICONE PLUS™ Premium Window & Door 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. This one-component, neutral-cure sealant is low in odor and cures to a tough rubbery solid upon exposure to moisture in the air. Provides outstanding adhesion to a wide variety of surfaces such as PVC, vinyl siding and painted wood. Cured sealant is mold and mildew resistant. Indoor/outdoor use. Backed by a Lifetime Guarantee. Meets ASTM C920 Specification, Class 25, Uses G, A and M.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 08771 (Clear) and 08780 (White).

DAP® All-Purpose 100% Silicone Rubber Sealant

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal. Resists cracking, crumbling and chalking. Cured sealant is mildew resistant. Indoor/outdoor use. Meets ASTM C920, Specification C719, Class 25.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 00683 (White), 00684 (Clear), 08646 (White), 08641 (Clear), 08642 (Black), 08643 (Aluminum), 08647 (Bronze), and 08649 (Almond).



DAP® 3.0™ Kitchen, Bath & Plumbing High Performance Sealant

DAP® 3.0™ Advanced Kitchen and DAP® 3.0™ Kitchen, Bath and Plumbing High Performance Sealant is ideal for repairing loose tiles and for caulking and sealing tubs, showers, sinks, backsplashes, counter tops, toilets and fixtures. It offers 10-year mold resistance and is specially formulated with Microban® Antimicrobial Product Protection to fight the growth of stain and odor-causing mold and mildew on the sealant. The sealant is easier to clean and stays cleaner between cleanings. DAP® 3.0™ Kitchen, Bath & Plumbing High Performance Sealant is 100% waterproof and is water resistant in 30 minutes. DAP® 3.0™ gets the room back in use quicker and also reduces the risk of ruining the caulk job by getting it wet too early.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 00790 (Gloss White) and 00795 (Crystal Clear).

DAP® SILICONE PLUS™ Premium Kitchen & Bath 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. This one-component, neutral cure sealant is low in odor and cures to a tough rubbery solid upon exposure to moisture in the air. Provides outstanding adhesion to a wide variety of surfaces such as ceramic tile, glass, porcelain and PVC. Cured sealant is mold and mildew resistant. Backed by a Lifetime Guarantee. Meets ASTM C920 Specification, Class 25, Uses G, A and M.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 08781 (Clear), 08770 (White), and 08785 (Almond).

DAP® Kitchen & Bath 100% Silicone Rubber Sealant

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal around non-porous surfaces such as ceramic tile and plumbing fixtures. Cured sealant is mildew resistant.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 00680 (White), 08640 (White), and 08648 (Clear).



DAP® 3.0™ Self-Leveling Concrete & Masonry High Performance Sealant

Advanced self-leveling concrete and mortar sealant that requires no tooling, making it ideal for filling cracks and gaps in horizontal surfaces. Withstands foot & vehicle traffic after fully cured. It can be applied in all weather and below freezing temperature applications. It won't crack or shrink & provides excellent adhesion, flexibility and durability for a permanent waterproof seal. It can be exposed to water and moisture after only three hours without washing out rather than the 24-36 hour waiting period other caulks and sealants may require. It is paintable, low odor and VOC compliant. Backed by a lifetime guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18370	9.0 OZ	GRAY	18370	13.12	12	8"x6"x12"	0.33	4	108

DAP® SILICONE PLUS™ Premium Concrete & Masonry 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. This one-component, neutral cure sealant is low in odor and cures to a tough rubbery solid upon exposure to moisture in the air. Provides outstanding adhesion to concrete, masonry, brick, ceramic tile, plastic and wood. Cured sealant is mold and mildew resistant. Backed by a Lifetime Guarantee. Meets ASTM Specification C920, Class 25, Type S, Grade NS.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08675	10.1 OZ	GRAY	08675	11.96	12	8"x6"x12"	0.33	3	108



DAP® SIDE WINDER® Advanced Siding & Window Sealant

Advanced polymer formula siding and window sealant delivers excellent performance on vinyl, fiber cement, aluminum, wood siding and windows. Provides maximum flexibility. Wet weather and low temperature application. Does not shrink and has virtually no VOC's (<1%). Low odor. Paintable. Indoor/outdoor use. Meets ASTM Specification C920.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various color options for DAP Side Winder sealant.

DAP® SIDE WINDER® Crystal Clear Siding & Window Sealant

Crystal clear siding and window sealant delivers excellent performance on vinyl, fiber cement, aluminum and wood siding. Provides maximum flexibility. Wet weather and low temperature application. Paintable. Indoor/outdoor use. Meets the performance characteristics of ASTM Specification C920.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists Crystal Clear option for DAP Side Winder sealant.



DAP® All-Purpose 100% Silicone Adhesive Sealant

Long-lasting, 100% silicone rubber is ideal for quick household repairs and projects. Forms a strong, waterproof seal. Won't shrink or crack. Stays flexible. Safe for incidental food contact. Dishwasher and microwave safe. Also ideal for building or repairing aquariums. Harmless to fresh and saltwater fish when cured.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00688	2.8 OZ	CLEAR	00688	3.30	12	8.5"x6.5"x8.5"	0.27	1	160

DAP® Auto/Marine 100% RTV Silicone Sealant

Long-lasting, 100% RTV silicone rubber seals and bonds for automotive and marine maintenance and repair applications. Forms a strong waterproof and weatherproof seal. Stays flexible. Won't shrink or crack. Resists vibration, expansion and contraction. Endures sunlight and withstands saltwater.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00694	2.8 OZ	CLEAR	00694	3.40	12	8.5"x6.5"x8.5"	0.27	2	160

DAP® Gasket 100% RTV Silicone Sealant

Easily forms 100% RTV silicone rubber gaskets for mechanical repair and household use. Forms a durable, waterproof seal. Stays flexible. Won't crack, crumble or dry out. Withstands extreme temperatures and pressure. Unaffected by vibration. Resistant to oil, grease and fuels. Requires no mixing.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00686	2.8 OZ	BLACK	00686	3.30	12	8.5"x6.5"x8.5"	0.27	7	160



**DAP® CAULK-BE-GONE®
Caulk Remover**

Specially formulated gel softens many types of latex caulks and sealants for easy removal. Fast-acting formula works in as little as two hours. Has a fresh scent and will not harm most surfaces. Indoor/outdoor use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18026	5.5 OZ	GREEN	18025	5.21	12	9.5"x7.25"x4.25"	0.17	3	240

**DAP® PRO Caulk™
4-piece
Caulking Tool Kit**

The easy, no-mess way to a perfect, professional seal in seconds. Creates a perfect-looking seal every time – any edge, any corner, any joint – while reducing the amount of wasted caulk, sealant or compound. The Tool Kit includes three unique tools that offer a variety of sealing edge sizes and shapes: a tool for smoothing larger joints, a tool for smaller joints and grouting tile and a mini tool for hard-to-reach places. Plus, there is a bonus caulk removal tool. The tools are made of easy-to-clean Duraflex™ and can be used time and time again. The tools can be used indoors or out, on just about every caulking and sealing project.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09125	1 EA	BLUE	09125	1.20	4	5.5"x4.75"x11"	0.17	2	224

**DAP®
DAP CAP™
Caulk Finishing Tool**

Two tools in one. Smooths and finishes bead of caulk or sealant easily for a professional-looking appearance. Works with all types of caulks and sealants. Reseals any cartridge for storage and reuse.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18570	1 EA	YELLOW	18570	0.82	12	10.5"x4.5"x10.5"	0.29	8	99



DAP® Caulk Backer Rod

Closed-cell polyethylene foam that is used to fill large joints before caulking. It works with most caulks and sealants by saving expensive caulk and preventing joint failure by partially filling large joints before applying caulk or sealant. Backer rod can also improve the energy efficiency of a home by helping to insulate and prevent drafts. Use it indoors or outdoors on a variety of projects including windows and doors, wall joints, foundations and cracks in pavement.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09115	1/2"X20'	GRAY	09115	2.0	12	18"x14"x10"	1.458	3	24



DAP® Vinyl Spackling (RTU)

All-purpose, heavy-duty formula that is perfect for household repairs and professional jobs. Resists cracking, sands easily and spreads smoothly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12012	5.5 OZ	WHITE	12008	12.78	18	10.5"x4.75"x8"	0.23	2	93
12130	0.5 PT	WHITE	12130	12.81	12	13.5"x10"x3.75"	0.29	0	154
12132	1 QT	WHITE	12132	24.75	6	15"x10"x5.25"	0.46	4	96
12133	1 GA	WHITE	12133	33.08	2	16"x8"x8.25"	0.61	1	75

DAP® DRYDEX® Dry Time Indicator Spackling (RTU)



Contains patented DRYDEX® Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12328	0.5 PT	WHITE	12328	12.90	12	13.50"x10"x3.75"	0.29	1	154
12330	1 QT	WHITE	12330	24.93	6	15"x10"x5.25"	0.46	4	96
12337	5.5 OZ	WHITE	12346	8.75	18	10.5"x4.5"x10.5"	0.29	5	99

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling



A complete project solution. Repairs holes up to 3" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white
- 4" x 4" flexible, self-adhesive perforated aluminum patch
- 4" x 3" 100-grit sand paper
- Putty knife



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12345	1 EA - 0.5 PT	WHITE	12345	6.75	6	21.38"x7.25"x8.25"	0.74	8	60
12305	1 EA - 0.5 PT	WHITE	12345	4.84	4	15.25"x7.25"x8.25"	0.53	8	75



DAP® CRACKSHOT®
High Performance
Spackling Paste (RTU)

Professional knife-grade spackling paste for easy application and superior paintability. Its creamy texture applies smoothly, dries hard and sands effortlessly, delivering quality results every time. This professional-grade formula will not shrink and will not “flash” paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12370	5.5 OZ	WHITE	12372	9.11	12	10.5"x4.5"x10.5"	0.28	4	99
12374	0.5 PT	WHITE	12374	13.26	12	13.5"x10"x3.75"	0.29	8	120
12378	1 QT	WHITE	12378	25.65	6	15"x10"x5.25"	0.46	6	96
12380	1 GA	WHITE	12380	33.82	2	16"x8"x8.25"	0.61	9	75

DAP® FAST 'N FINAL®
Lightweight Spackling
(RTU)

One-step, lightweight spackling for repairing walls, ceilings, and woodwork in one fill. Delivers superior durability and performance. No sanding required. Dries quickly. Interior/exterior use. Zero VOC content (per CA Air Resources Board Test Method 310), has a low odor; there is no crystalline silica detected in the product per UL Environment™; and meets GREENGUARD® Children & SchoolsSM standards.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12140	0.5 PT	WHITE	12140	3.50	12	13.5"x10"x3.75"	0.29	9	154
12141	1 PT	WHITE	12141	7.50	12	15.5"x12"x4.75"	0.51	6	80
12142	1 QT	WHITE	12142	7.25	6	15"x10"x5.25"	0.46	3	96
12143	1 GA	WHITE	12143	18.25	4	16"x16"x8.25"	1.19	0	30

DAP® PATCH STICK®
Nail Hole Filler
(RTU)

Quick and easy spackling stick, conveniently sized for filling nail holes and small cracks in interior surfaces. Dries in minutes and does not require sanding. Won't sag. Comes with built-in spackling knife. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12312*	2.8 OZ	WHITE	12316	2.50	12	7"x5.25"x8.25"	0.18	8	240

*stick display case



DAP® ELASTOPATCH®
Smooth Flexible
Patching Compound
(RTU)

High-performance, elastomeric spackling compound eliminates recurring cracks by providing a permanently flexible fill. Excellent for use on smooth surfaces including masonry, brick, plaster, drywall or any surface requiring a permanently flexible seal. Superior paintability—won't flash paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12276	10.1 OZ	WHITE	12276	14.72	12	8"x6"x12"	0.33	5	108
12278	1 QT	WHITE	12278	22.19	6	15"x10"x5.25"	0.46	9	96
12280	1 GA	WHITE	12280	28.25	2	16"x8"x8.25"	0.61	2	75

DAP® ELASTOPATCH®
Textured Flexible
Patching Compound
(RTU)

High-performance, elastomeric spackling compound eliminates recurring cracks by providing a permanently flexible fill. Excellent for use on textured surfaces including stucco, masonry, brick, plaster, drywall or any surface requiring a permanently flexible seal. Superior paintability—won't flash paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12286	10.1 OZ	OFF WHITE	12286	12.79	12	8"x6"x12"	0.33	4	108
12288	1 QT	OFF WHITE	12288	18.45	6	15"x10"x5.25"	0.46	8	96
12290	1 GA	OFF WHITE	12290	24.22	2	16"x8"x8.25"	0.61	1	75

DAP® Spackling Paste
(RTU)

Heavy-duty spackling compound. Ideal for do-it-yourself and professional projects. Fills and conceals small cracks, nail holes and blemishes in plaster, wallboard and wood. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10200	0.5 PT	WHITE	10200	12.28	12	13.5"x10"x3.75"	0.29	2	154
10204	1 QT	WHITE	10204	23.70	6	15"x10"x5.25"	0.46	0	96



DAP® '33'® Glazing Window Glazing (RTU)



Ready-to-use, paintable window glazing for use on wood, metal and aluminum sashes. Forms an airtight, watertight seal. Resists sagging, cracking and shrinking. Excellent weather resistance. Knife-grade. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12120	0.5 PT	WHITE	12120	14.98	12	13.5"x10.5"x3.75"	0.29	1	154
12121	1 PT	WHITE	12121	29.54	12	15.5"x12"x4.75"	0.51	8	80
12122	1 QT	WHITE	12122	29.10	6	15"x10"x5.25"	0.46	5	96
12019	1 GA	WHITE	12019	38.42	2	16"x8"x8.25"	0.61	8	75
12124	3.5 GA	WHITE	12124	66.74	1	12"x12"x10.75"	0.90	9	36

DAP® Latex Window Glazing (RTU)



Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12108	10.1 OZ	WHITE	12049	16.00	12	8"x6"x12"	0.33	5	108

DAP® '1012'® Glazing (RTU)



Professional-quality glazing compound for face glazing metal sashes. No painting required. Knife-grade. Meets Federal Specifications TT-G-410E, CID-A-A-373A, ASTM C669. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12056	3.5 GA	ALUMINUM GRAY	12056	66.50	1	12"x12"x10.25"	0.85	3	36
12059	1 GA	ALUMINUM GRAY	12059	37.62	2	16"x8"x8.25"	0.61	4	75



DAP® PLASTIC WOOD® Solvent Professional Wood Filler (RTU)



High-performance, solvent-based wood filler that hardens to give a repair that is 3X stronger than the wood itself*. This professional-grade, heavy-duty wood filler contains real wood fibers so it looks and acts like real wood. It can be sanded, cut, drilled, screwed, planed, varnished, painted or lacquered. It provides strong nail and screw anchoring without splitting. DAP® Plastic Wood® Professional Wood Filler dries fast and hard, and is shrink and crack resistant. For use on furniture, doors, paneling, molding, plywood and other wood surfaces. Available in several popular wood shades, this high-performance wood filler can also be stained to match any wood surface. Interior/exterior use.

*When compared to White Pine



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21506	16 OZ	NATURAL	21506	14.00	12	14"x10.37"x4.5"	0.38	1	117
21502	4 OZ	NATURAL	21502	3.90	12	7.5"x5.25"x4.25"	0.10	3	378
21400	4 OZ	LIGHT OAK	21400	3.95	12	7.5"x5.25"x4.25"	0.10	2	378
21404	4 OZ	PINE	21404	3.95	12	7.5"x5.25"x4.25"	0.10	0	378
21408	4 OZ	GOLDEN OAK	21408	3.95	12	7.5"x5.25"x4.25"	0.10	8	378
21412	4 OZ	WHITE	21412	3.95	12	7.5"x5.25"x4.25"	0.10	5	378
21434	4 OZ	WALNUT	21434	3.95	12	7.5"x5.25"x4.25"	0.10	7	378
21500	1.87 OZ	NATURAL	21500	2.46	12	5"x5.5"x6.5"	0.10	9	336
21510	1.87 OZ	NATURAL	21510	1.30	6	7"x4.4"x9.3"	0.18	8	208

DAP® PLASTIC WOOD® Latex Carpenter's Wood Filler (RTU)

High quality latex-based wood filler formulated to create a surface and body that looks and acts like real wood and provides a repair 3X stronger than the wood itself*. It can be used to repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets and other wood surfaces. Can be sanded, stained, cut, drilled, planed, varnished or painted. Interior/exterior use.

*When compared to White Pine



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00529	16 OZ	NATURAL	00527	8.75	8	9"x8.75"x5"	0.18	3	140
08135	8 OZ	NATURAL	08135	5.80	6	10.25"x6.87"x3.75"	0.15	2	242
08111	5.5 OZ	NATURAL	08111	5.85	12	8.5"x6"x6"	0.15	6	312
08114	5.5 OZ	GOLDEN OAK	08114	5.85	12	8.5"x6"x6"	0.18	7	312
08116	5.5 OZ	RED OAK	08116	5.85	12	8.5"x6"x6"	0.15	1	312
08118	5.5 OZ	WALNUT	08118	5.85	12	8.5"x6"x6"	0.18	5	312



DAP® BLEND STICK®
Value Packs

The quick, easy way to repair nail holes, scratches and other minor blemishes in finished wood surfaces. Its unique teardrop shape makes it easier to use than other blending products. It is ideal for wood and simulated wood surfaces such as paneling, woodwork, molding, furniture and cabinets. It will not shrink, stain or discolor and is available in 3 value packs, featuring 4 colors in each pack, to match most wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
04080	1 EA	LIGHT WOODS	04080	1.50	12	7.75"x4"x6.75"	0.12	9	360
04083	1 EA	RED WOODS	04083	1.50	12	7.75"x4"x6.75"	0.12	0	360
04085	1 EA	DARK WOODS	04085	1.50	12	7.75"x4"x6.75"	0.12	4	360

DAP® WOOD FINISH REPAIR KIT™

WOOD FINISH REPAIR KIT™ features two Wood Stain Pens (Light and Dark), each with a premium felt tip, ideal for color-blending and the repair of scratches on woodwork, furniture and paneling. Also included are four colored blending sticks and application tools to repair minor defects in any finished wood surface. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
97500	1 EA	MULTICOLOR	97500	2.00	6	8.87"x3.87"x4.75"	0.09	2	280



DAP® Finishing Putty (RTU)

An easy-to use, non-hardening wood putty ideal for filling small holes and minor defects in interior wood surfaces after assembly and finishing. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints. Available in 12 popular tones to match most finished wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21245	3.7 OZ	WHITE	21245	1.75	6	7.5"x4.75"x2.25"	0.05	9	900
21247	3.7 OZ	LIGHT OAK	21247	1.75	6	7.5"x4.75"x2.25"	0.05	3	900
21250	3.7 OZ	CHERRY	21250	1.75	6	7.5"x4.75"x2.25"	0.05	3	900
21251	3.7 OZ	LIGHT WALNUT	21251	1.75	6	7.5"x4.75"x2.25"	0.05	0	900
21255	3.7 OZ	DARK WALNUT	21255	1.75	6	7.5"x4.75"x2.25"	0.05	8	900
21262	3.7 OZ	RED OAK	21262	1.75	6	7.5"x4.75"x2.25"	0.05	6	900
21266	3.7 OZ	EBONY	21266	1.75	6	7.5"x4.75"x2.25"	0.05	4	900
21268	3.7 OZ	RED MAHOGANY	21268	1.75	6	7.5"x4.75"x2.25"	0.05	8	900
21270	3.7 OZ	MAPLE	21270	1.75	6	7.5"x4.75"x2.25"	0.05	1	900
21272	3.7 OZ	NATURAL PINE	21272	1.75	6	7.5"x4.75"x2.25"	0.05	5	900
21274	3.7 OZ	PICKLED OAK	21274	1.75	6	7.5"x4.75"x2.25"	0.05	9	900
21276	3.7 OZ	NATURAL OAK	21276	1.75	6	7.5"x4.75"x2.25"	0.05	3	900

DAP® Painter's Putty '53'® (RTU)

Smooth, easy-working putty designed for the special needs of professional painters. Ideal for filling nail holes, dents and cracks in wood surfaces. May also be used to glaze wood sashes. Resists oil bleeding. Exceptional paintability. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12240	0.5 PT	WHITE	12240	13.18	12	13.5"x10"x3.75"	0.2929	6	154
12242	1 PT	WHITE	12242	25.94	12	15.5"x12"x4.75"	0.51	0	80
12244	1 QT	WHITE	12244	25.50	6	15"x10"x5.25"	0.46	4	96



DAP® Concrete Floor Leveler (Dry Mix)

General purpose, concrete-based floor leveling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10414	5 LB	GRAY	10414	31.20	6	12.5"x8.5"x8.5"	0.52	3	90
10416	25 LB	GRAY	10416	25.18	1	19.5"x10.5"x4"	0.47	7	96

DAP® Concrete Patcher & Resurfacer (Dry Mix)

A fast-setting, polymer-fortified Portland cement patch. An economical product for the repair of cracks, chips and breaks in concrete and masonry. It adheres to concrete, brick, stone, stucco, wood subfloors and other clean masonry surfaces. Crack-resistant formula. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10466	5 LB	GRAY	10466	31.20	6	12.5"x8.5"x8.5"	0.52	2	90
10468	10 LB	GRAY	10468	43.18	4	16.5"x8.5"x12"	0.97	6	30

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
35082	1 PT	WHITE	35082	7.50	6	8"x5.5"x8"	0.20	3	152
35090	1 GA	WHITE	35090	34.50	4	13"x13"x13"	1.27	8	27



DAP® Concrete Bonding Additive

Bonds old concrete to new. Perfect for concrete patching, resurfacing and leveling. Excellent for capping walls, patching steps and tuck pointing. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
02131	32 OZ	WHITE	02131	28.00	12	14.12"x11.87"x10.75"	1.04	0	33
02132	1 GA	WHITE	02132	36.00	4	13"x13"x13"	1.27	7	27

DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and leveling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
59184	1 QT	LIGHT GRAY	59184	24.00	6	15"x10"x5.25"	0.46	4	96
59190	1 GA	LIGHT GRAY	59190	63.50	4	16"x16"x8.25"	1.22	5	30

DAP® Liquid Cement Crack Filler (RTU)

Easy-to-use, ready-mixed product for the repair of cracks in concrete. Repairs are ready for traffic in 30-45 minutes. It is self-leveling and dries gray to match most existing concrete. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
37584	1 QT	GRAY	37584	22.00	6	10.75"x7.5"x10.5"	0.49	0	84



DAP® Ready-Mixed Concrete Patch (RTU)

Use to patch small cracks and breaks, or spot level concrete and masonry surfaces such as basement walls, patios, steps, sidewalks and driveways. It dries to a durable, hard finish and is non-shrinking. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
31084	1 QT	LIGHT GRAY	31084	25.05	6	15"x10"x5.25"	0.46	1	96
31090	1 GA	LIGHT GRAY	31090	65.88	4	16"x16"x8.25"	1.22	2	30

DAP® Ready-Mixed Concrete Patch (RTU)

Use to patch small cracks and breaks, or spot level concrete and masonry surfaces such as basement walls, patios, steps, sidewalks and driveways. It dries to a durable, hard finish and is non-shrinking. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10432	5.5 OZ	GRAY	10430	4.05	6	9.5"x5.5"x3.5"	0.11	3	468
10460	5.5 OZ	GRAY	10430	11.27	18	10.5"x4.75"x8"	0.23	3	93

DAP® QUICK PLUG® Hydraulic Cement (Dry Mix)

High-performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete surfaces. It creates a watertight seal in 3-5 minutes. Works both above and below ground level. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
14084	2.5 LB	GRAY	14084	15.80	6	12.25"x7.25"x4"	0.21	4	180
14086	5 LB	GRAY	14086	31.20	6	12.5"x8.5"x8.5"	0.52	8	90
14090	10 LB	GRAY	14090	43.18	4	16.5"x16.5"x8.25"	1.30	5	30



DAP® Wallboard Joint Compound (RTU)

Professional-grade, ready-to-use formula for smooth, high quality finishing of gypsum panel joints. It is easy to apply, has minimal shrinkage and sands easily. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10100	3 LB	WHITE	10100	19.50	6	15"x10"x5.25"	0.46	5	96
10102	12 LB	WHITE	10102	51.08	4	16"x16"x8"	1.19	9	30

DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10114	1 GA	WHITE	10114	42.92	4	16"x16"x8.25"	1.22	2	30

DAP® Premium Lightweight Joint Compound with DRYDEX® Dry Time Indicator (RTU)

Premium lightweight joint compound for the ultra-smooth, high-quality finishing of gypsum panel joints. Goes on PINK and dries WHITE indicating when additional coats can be applied or it's ready for finishing. De-aired formula eliminates the formation of pinhole bubbles for an ultra-smooth finish. Sands effortlessly and weighs up to 25% less than conventional compounds for easier handling. Professional grade. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10120	1 GA	WHITE	10120	21.58	2	16"x8"x8.25"	0.61	3	75



DAP® All-Purpose Stucco Patch (RTU)

Ready-to-use, professional-quality for repairing large holes and cracks in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Convenient, ready-mixed formula. Textured finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10504	1 QT	WHITE	10504	25.20	6	15"x10"x5.25"	0.46	1	96
60590	1 GA	WHITE	60590	66.28	4	16"x16"x8.25"	1.22	9	30

DAP® All-Purpose Stucco Patch (Dry Mix)

Professional-quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10502	25 LB	WHITE	10502	25.16	1	19.5"x10.5"x4"	0.47	7	96

DAP® Plaster Wall Patch (Dry Mix)

Professional-quality formula for repairs in plaster walls and ceilings. Provides longer working time of 2-3 hrs. Easy to mix, use and sand. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10304	25 LB	WHITE	10304	25.25	1	19.5"x10.5"x4"	0.47	7	96



**DAP® WEBPATCH™ 90
Floor Leveler and Patch
(Dry Mix)**

General purpose, gypsum-based floor leveler and patch. Use to patch cracks and holes in drywall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring and other materials. Can also be used on walls and ceilings. Ready to mix with water or DAP® Bonding Liquid & Floor Leveler Additive. Interior use.



NOTE: Not for use under vinyl sheet goods. Use Concrete Floor Leveler & Patch or Concrete Patcher & Resurfacer.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10314	4 LB	OFF WHITE	10314	25.32	6	12.5"x8.5"x8.5"	0.52	6	90
63050	25 LB	OFF WHITE	63050	25.24	1	19.5"x10.5"x4"	0.47	5	96

**DAP® PRESTO PATCH®
Multi-Purpose
Patching Compound
(Dry Mix)**

All-purpose, high-performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58505	4 LB	WHITE	58505	25.20	6	12.5"x8.5"x8.5"	0.52	8	90
58552	25 LB	WHITE	58552	25.24	1	19.5"x10.5"x4"	0.47	2	96

**DAP® PRESTO PATCH®
Ready-Mixed Multi-Purpose
Patching Compound
(RTU)**

Ready-to-use, multi-purpose patching compound for filling, leveling or patching cracks and holes in concrete, masonry, plaster, wallboard, wood and stucco. This high-performance patching compound has a smooth working consistency and dries quickly. Once dry, it can be drilled, nailed, filed or painted. Saves time - NO MIXING REQUIRED. Smooth finish. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58555	1 GA	OFF WHITE	58555	30.50	2	16"x8"x8.25"	.61	3	75



DAP® Plaster of Paris (Dry Mix)

For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10308	4 LB	WHITE	10308	26.14	6	19.5"x13.5"x7"	1.07	5	42
10310	8 LB	WHITE	10310	34.52	4	16.5"x9"x15.5"	1.33	8	36
10312	25 LB	WHITE	10312	25.24	1	19.5"x10.5"x4"	0.47	2	96
10318	4 LB BOX	WHITE	10318	25.32	6	12.5"x8.5"x8.5"	0.52	4	90

DAP® Plaster of Paris Hobby & Craft (Dry Mix)

Ideal for hobby, molds and casts. Sets hard in 20-30 minutes without shrinking. Has a 7-12 minute working time. It can be painted with any latex-based paint when dry. Great for casting molds. Can be used for patching applications. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
53005	4.4 LB	WHITE	53005	27.72	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® Patching Plaster (RTU)

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
52084	1 QT	WHITE	52084	23.70	6	15"x10"x5.25"	0.46	4	96



DAP® T.S.P.

The all-purpose cleaner used by professionals prior to painting exterior surfaces. It removes mold and de-glosses surfaces that are oil-base painted. Ideal for cleaning garage or basement floors, it can also be used to restore dried, used paintbrushes. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
63001	1 LB	WHITE	63001	6.56	6	5.75"x4"x9"	0.12	7	279
63004	4 LB	WHITE	63004	25.20	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® T.S.P. Substitute

The ideal cleaner for preparing surfaces prior to decorating. It will clean walls, ceilings and finished woodwork, removing dust, dirt, oil, grease and old wall paper paste. Can be used to dull and etch painted surfaces to provide an excellent surface to be painted. As a general purpose cleaner, will remove oil and grease from basement or garage floors, driveways and machinery. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
60001	1 LB	WHITE	60001	6.56	6	5.75"x4"x9"	0.12	0	279
60004	4 LB	WHITE	60004	25.32	6	12.5"x8.5"x8.5"	0.52	1	90

DAP® Primer 920™

A professional-grade, quick-drying, solvent-based primer for priming joints and building surfaces prior to the installation of DAP® sealants that meet or exceed ASTM specification C920. It is ideal for use on concrete, stucco, brick and masonry and difficult-to-adhere, non-porous surfaces. For professional use only. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
05135	32 OZ.	WHITE	05135	12.11	6	8.25"x8.75"x13.5"	0.56	5	144



DAP® Wall Repair Patch

Repair wall holes and cracks easily—just clean the surface, apply the patch, spackle and finish. Patches are self-adhesive so there's no pre-pasting required, and they are repositionable. The no-rust mesh aluminum backing provides a sturdy surface while allowing more air circulation for quicker drying time. The patch is strong enough to repair wall holes, yet cuts easily with scissors to match the size of the hole.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09146	6"x6"	WHITE/METALLIC	09146	3.20	12	8.37"x5.25"x7.75"	0.20	7	225

DAP® Drywall Joint Tape

Easy-to-use, fiberglass joint tape is self-adhesive so there's no pre-pasting required. This repositionable mesh system is compatible with both drywall and painted drywall making fast work of sealing drywall seams—just tape, apply joint compound, and sand as needed. It can also be used to repair cracks and small holes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09140	2"x180'	WHITE	09140	6.50	12	5.37"x12.75"x9.75"	0.39	5	200

DAP® Ultra Thin Drywall Joint Tape

Ultra Thin Drywall Joint Tape is 30% thinner than traditional drywall joint tape, making it a perfect option for repairs on flat drywall since it creates an "ultra-flat" finish for a virtually invisible repair. The bright yellow color makes it easy to see when the taping job is complete so you can apply joint compound and sand as needed to finish your repair. It is a fiberglass, self-adhesive joint tape so there is no pre-pasting required. The repositionable mesh system is compatible with both drywall and painted drywall. It can also be used to repair cracks and small holes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09142	2"x180'	YELLOW	09142	6.50	12	12.75"x4"x7.25"	0.21	9	240



DAP® WELDWOOD® Original Contact Cement



Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry. Exceeds industry performance requirements.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 00271, 00272, and 00273.

DAP® WELDWOOD® Gel Formula Contact Cement



WELDWOOD® Original Contact Cement formula in an easy-to-use gel that won't drip. No mess. Ideal for vertical and overhead surfaces. Easy spread provides excellent coverage. Long assembly/open time.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 25310, 25312, and 25316.

DAP® WELDWOOD® Nonflammable Contact Cement



High solids polychloroprene, waterborne contact adhesive that meets the stringent requirements of the professional user. Complies with all current VOC requirements. Dries in 30-40 minutes, allowing for extra bonding time. Water resistant when dry. Exceeds industry performance requirements. Low odor. Easy water clean-up.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 25330, 25332, and 25336.



Extremely Flammable—Brush Grade

DAP® 0308 Premium Brush Grade High Heat Resistant Contact Adhesive

Superior quality adhesive designed to allow maximum application of

adhesive with minimum strokes of brush or roller. DAP® 0308 Premium has developed a broad range of applications in industry. Dries rapidly with high strength and high heat resistance.

Case Code	Size	Color	Case Pack	Case Weight (lbs.)
00094	5 GA	NATURAL	1	36.75

DAP® 2056 Professional Brush Grade Contact Adhesive

A medium viscosity formulation which meets the requirements of many applications. A general

purpose contact adhesive, DAP® 2056 Professional is often the choice of shops and tradesmen engaged in a variety of projects requiring contact adhesive. Easy to apply. Fast drying.

Case Code	Size	Color	Case Pack	Case Weight (lbs.)
00241	5 GA	NATURAL	1	35.00

Nonflammable—Spray Grade

DAP® 2146 M.C. High Solids Nonflammable Spray Grade Contact Adhesive

This product provides solutions to many problems affecting cabinet shops, laminators, furniture manufacturers and other industries where an alternative to the extremely flammable products must be found for insurance

reasons, state regulations, storage restrictions and OSHA requirements. DAP® 2146 M.C. offers excellent green strength and the many benefits of a high solids adhesive including faster drying time, lower glue line costs, less solvent escapement, reduced odor and potential savings, with fewer drums to dispose.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
04652	5 GA	NATURAL		1	54.00
04654	55 GA	NATURAL	O.H.*	1	595.00
04662	5 GA	GREEN		1	54.00
04664	55 GA	GREEN	T.H.*	1	595.00

Extremely Flammable—Spray Grade

DAP® Landau Top & Trim High Heat Resistant Contact Cement

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric and many other materials during automobile refurbishment. Easy to apply with hot or cold spray equipment.

Case Code	Size	Color	Case Pack	Case Weight (lbs.)
00233	1 GA	NATURAL	4	29.50
00234	5 GA	NATURAL	1	36.00
00235	55 GA	NATURAL	1	404.00
00237	5 GA	RED	1	36.00

DAP® 0306/0307 High Heat Resistant Contact Adhesive

This industry standard, used with confidence for years, meets the

requirements of a wide range of applications. Features ease of use and excellent end results. May be applied with standard hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00095	5 GA	NATURAL		1	37.00
00097	5 GA	RED		1	37.00
00098	55 GA	RED	T.H.*	1	404.00
04051	55 GA	NATURAL	O.H.*	1	414.00
04054	55 GA	RED	O.H.*	1	424.00

Description	Solids (percent)	Viscosity, cPs	Density, lbs./gal.	Color(s)	Sq. Ft. Coverage (2-3 g dry)	Shelf Life	VOC Less H-0/ Exempt g/L	Sizes (Gallons)		
Brush Grade (Flammable Solvent)										
0308	Premium	HHR*	24	900-1200	6.8	NATURAL	309	1 yr	592/475	5-55
2056	Prof.	HHR*	20	550-800	6.7	NATURAL	253	1 yr	606/490	5-55
Spray Grade (Flammable Solvent)										
0307	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	5-55
0306	Std.	HHR*	19	130-200	6.6	NATURAL	237	1 yr	621/499	5-55
LANDAU	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	1-5-55
						NATURAL				
Spray Grade (Nonflammable Solvent)										
2146 MC	High solid specialty		25	180-280	10.1	NATURAL	478	1 yr	14/5	5-55
						GREEN				
2044 MC	Fast Dry	HHR*	10	200-350	10.9	RED	206	1 yr	54/6	5-55
2004 MC	Fast Dry	HHR*	10	200-350	10.9	NATURAL	206	1 yr	54/6	5-55

*(T.H.) Tight Head *(O.H.) Open Head *(HHR) High Heat Resistance

For more detailed information, request the technical data sheet for any of our products by calling 1-888-327-8477 or visit our website at dap.com



DAP® WELDWOOD® Carpenter's Wood Glue

Professional quality aliphatic resin wood and multi-purpose glue that provides a high strength bond. Sets fast, grips tight and sands easily when dry. Heat, water and solvent resistant. Non-toxic. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00490	8 OZ	YELLOW	00490	17.50	24	13"x10"x7.5"	0.56	0	56
00491	1 PT	YELLOW	00491	15.90	12	12.25"x8.5"x9.25"	0.56	7	72
00492	1 QT	YELLOW	00492	32.00	12	17.5"x9.5"x10"	0.96	4	40
00493	1 GA	YELLOW	00493	37.50	4	13"x12.5"x11.5"	1.08	1	27
00494	5 GA	YELLOW	00494	46.00	1	12.25"x12.25"x14.75"	1.28	8	36
00495	55 GA	YELLOW	00495	541.50	1	23.5"x23.5"x34.25"	10.95	5	4

DAP® WELDWOOD® Multipurpose Spray Adhesive

DAP® WELDWOOD® Multipurpose Spray Adhesive is a mist spray formula that can be used for the temporary or permanent bonding of lightweight materials including foils, plastics, papers, foams, metals and carboard. Fast tack. Ideal for hobby and craft applications. VOC compliant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00118	16 OZ	CLEAR	00118	17.00	12	12"x9.25"x9.75"	0.63	3	80

DAP® WELDWOOD® High Strength Spray Adhesive

DAP® WELDWOOD® High Strength Spray Adhesive wide web spray formula is a high-strength, high-temperature and water resistant formulation that bonds wood, particle board, metal, laminate and many plastics. Ideal for demanding applications including trim and upholstery work and laminates. Long open time.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00121	16 OZ	CLEAR	00121	17.00	12	12"x9.25"x9.75"	0.63	3	80



DAP® BLUESTIK™
Reusable Adhesive Putty

Reusable, removable blue adhesive putty that replaces tape, tacks, staples and magnets. No more holes in walls and no more chipped, peeled paint. Sticks just about anything to slick or hard surfaces such as wood, tile, glass, concrete, porcelain, metal and painted surfaces. Use to fasten decorations, posters, notes and paintings. Can be used time and time again. Packaged in a new, resealable bag that keeps product clean and fresh for optimal adhesion and reuse. Won't dry out. Non-toxic. Conforms to ASTM D4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01201	1 OZ	BLUE	01201	1.25	12	6"x4.25"x4.5"	0.07	1	528

DAP® CONTACT STIK™
Adhesive Repair Strips

Clear adhesive strips are a waterproof, easy-to-use, no mess alternative to liquid contact cements, glues and tapes. These double-sided, pressure-sensitive, all-purpose adhesive strips are ideal for a variety of small household repairs. Just peel and press the strips to almost any surface, indoors or outdoors, for a strong, instant bond that eliminates the long set up, dry times, odor and mess associated with liquid glues. Available in 1" x 2" and 1" x 3" strips that can be cut to fit any application. Non-toxic, acid free, and conforms to ASTM D4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01215	10 PIECES	CLEAR	01215	1.25	12	5.25"x3.87"x6.37	0.08	8	584

DAP® STRONGSTIK®
Instant Grab Adhesive

An instant grab adhesive that replaces nails and screws by holding projects in place instantly, yet it is repositionable for up to 10 minutes. Can be used for many vertical or overhead applications. Just one ounce will hold a three pound object with a strong, permanent bond. The slim 5.0 fluid ounce tube is easy to hold with a convenient, stand-up, flip-top cap. Works on most household surfaces, is low in odor and cleans up easily with soap & water. Indoor/outdoor use. Meets ASTM C557.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01310	5 OZ	OFF WHITE	01310	5.93	12	9.5"x7"x4.75"	0.18	0	225



**DAP® WELDWOOD®
Contact Cement**

Instantly bonds on contact. Can be used on a variety of materials. Provides a durable, water resistant bond. Handy applicator included in 1 oz. bottle.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00102	1 OZ	TAN	00102	2.50	12	7"x7"x4.5"	0.13	2	240
00107	3 OZ	TAN	00105	2.89	12	6"x8"x4"	0.11	3	430

**DAP® WELDWOOD®
Plastic Resin Glue**

Powdered, urea-formaldehyde wood glue activated by mixing with water. Forms a bond stronger than the wood itself. Meets Federal Specification A-A-3052. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00203	1 LB	TAN	00203	8.00	6	15"x10"x5"	0.43	6	54
00204	4.5 LB	TAN	00204	21.50	4	16"x16"x8"	1.18	3	30
00208	300 LB	TAN	00208	317.00	1	23.5"x23.5"x34.25"	10.95	1	4



DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25082	10.3 OZ	GRAY	25082	26.58	24	12"x8"x12"	0.66	6	54
25084	28 OZ	GRAY	25084	35.50	12	10.5"x8"x17"	0.83	0	40
25098	10.3 OZ	GRAY	25082	12.75	12	8"x6"x12"	0.33	6	108

DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25484	28 OZ	GRAY	25484	35.50	12	10.5"x8"x17"	0.82	8	40
25498	10.3 OZ	GRAY	25498	13.50	12	8"x6"x12"	0.33	5	108

DAP® BEATS THE NAIL®
All-Purpose Trowelable
Construction Adhesive

An all-purpose, trowelable construction adhesive for bonding bath panel, tub enclosure and other types of wall panels to drywall, hardboard, plywood, plaster, masonry and other structurally-sound surfaces. It may be used to repair loose ceramic tiles, sink tops, backsplashes and moldings or to install Fiberglass Reinforced Panels (FRP). It provides a water and moisture-proof barrier between wall and panel. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25488	1 GA	TAN	25488	44.25	4	13.5"x13.5"x8"	0.84	6	45



DAP® 4000®
Subfloor & Deck
Construction Adhesive



A premium grade, weatherproof formulation that meets APA AFG-01, ASTM Specification D3498 and conforms to HUD UM60a. It reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25028	10.3 OZ	TAN	25020	11.50	12	8"x6"x12"	0.33	8	108
25117	28 OZ	TAN	25117	28.66	12	10.5"x8"x17"	0.83	5	40

DAP® BEATS THE NAIL®
Subfloor & Deck
Construction Adhesive



A premium grade, weatherproof formulation that meets APA AFG-01, ASTM Specification D3498 and conforms to HUD UM60a. It reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25417	28 OZ	TAN	25417	28.66	12	10.5"x8"x17"	0.83	6	40
25428	10.3 OZ	TAN	25428	11.50	12	8"x6"x12"	0.33	2	108

DAP® BEATS THE NAIL®
Drywall
Construction Adhesive

Specially formulated for bonding drywall, paneling and plywood to wood or steel framing. Reduces fastener use. Quick-grab formula requires less bracing. Meets ASTM Specification C557. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25037	28 OZ	TAN	25037	29.00	12	10.5"x8"x17"	0.83	6	40



**DAP® BEATS THE NAIL®
Paneling & Foam
Construction Adhesive**

A high quality, dual-purpose adhesive designed to bond paneling or foamboard insulation to a variety of substrates. Quick-grab formula reduces nailing requirements. Won't etch or burn through. Meets ASTM Specification C557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25403	10.3 OZ	GRAY	25403	13.75	12	8"x6"x12"	0.33	9	108

**DAP® BEATS THE NAIL®
Tub Surround & Shower Wall
Construction Adhesive**

Specifically formulated for the installation of tub surrounds and shower wall enclosures to a variety of substrates. Quick-grab formula provides a strong steam, heat and water-resistant bond. Won't harm most plastic tub surrounds and shower walls. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25420	10.3 OZ	GRAY	25420	12.50	12	8"x6"x12"	0.33	6	108

DAP® FRP Adhesive

Trowel grade, latex-based formula for bonding FRP panels to concrete, plaster, plywood and gypsum wallboard. Nonflammable, fast-setting and water resistant. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
60480	1 GA	WHITE	60480	53.75	4	15.5"x15.5"x7.75"	1.08	3	30
60481	4 GA	WHITE	60481	53.75	1	12"x12"x14"	1.17	0	36



DAP® STRONGSTIK®
VOC-Compliant
Heavy Duty All-Purpose
Construction Adhesive

A VOC-compliant, latex-based, heavy duty adhesive ideal for general construction, remodeling, maintenance and repair projects. It is formulated with Instant Grab technology to hold projects in place instantly, reducing bracing requirements or the need for nails and screws, yet it is repositionable for up to 10 minutes. It provides a high-strength, permanent bond that is heat, water and weather resistant. DAP® Strong Stik® works on most building materials and is paintable. Meets ASTM Specification C557. Low odor and easy water clean-up. Interior/exterior Use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01312	10 OZ	OFF WHITE	01312	11.50	12	8"x6"x12"	0.33	4	108

DAP® BEATS THE NAIL®
VOC-Compliant
All-Purpose
Construction Adhesive

This VOC-compliant, latex-based formula provides the same superior performance as the solvent-based ALL-PURPOSE Adhesive. Meets ASTM Specification C557. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27050	10.3 OZ	WHITE	27050	13.59	12	8"x6"x12"	0.33	3	108
27058	28 OZ	WHITE	27058	35.25	12	10.5"x8"x17"	0.83	9	40

DAP® BEATS THE NAIL®
VOC-Compliant
All-Purpose
Construction Adhesive

This VOC-compliant, latex-based formula provides the same superior performance as the solvent-based ALL-PURPOSE Adhesive. Meets ASTM Specification C557. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27401	3.5 OZ	TRANSLUCENT	27401	5.47	18	11"x4"x11"	0.28	3	99
27480	3.5 OZ	WHITE	27480	7.06	18	11"x4"x11"	0.28	8	99
27450	10.3 OZ	WHITE	27450	14.00	12	8"x6"x12"	0.33	1	108
27458	28 OZ	WHITE	27458	35.25	12	10.5"x8"x17"	0.83	7	40



DAP® BEATS THE NAIL®
VOC-Compliant
Heavy-Duty Projects
Construction Adhesive

A VOC-compliant, high-strength, weatherproof adhesive specifically formulated for heavy-duty general construction, remodeling, maintenance and repair projects. Instant Grab formulation holds projects in place instantly, reducing bracing requirements. Bonds to a wide variety of substrates and provides a heat and water-resistant bond. Meets ASTM Specification C557. Low odor and cleans up easily with soap and water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27404	10.3 OZ	WHITE	27404	14.00	12	8"x6"x12"	0.33	4	108
27407	28 OZ	WHITE	27407	31.25	12	10.5"x8"x17"	0.83	5	40

DAP® 4000®
VOC-Compliant
Subfloor & Deck
Construction Adhesive

This VOC-compliant, latex-based formula provides the same superior performance as the solvent-based 4000® SUBFLOOR & DECK Adhesive. Meets APA AFG-01, ASTM Specification D3498 and conforms to HUD UM60a. Low odor and easy water clean-up. Interior/exterior use.



Conforms to HUD UM60a



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27030	10.3 OZ	TAN	27030	12.00	12	8"x6"x12"	0.33	5	108
27038	28 OZ	TAN	27038	33.00	12	10.5"x8"x17"	0.83	1	40

DAP® BEATS THE NAIL®
VOC-Compliant
Subfloor & Deck
Construction Adhesive

This VOC-compliant, latex-based formula provides the same superior performance as the solvent-based SUBFLOOR & DECK Adhesive. Meets APA AFG-01, ASTM Specification D3498 and conforms to HUD UM60a. Low odor and easy water clean-up. Interior/exterior use.



Conforms to HUD UM60a



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27430	10.3 OZ	TAN	27430	12.00	12	8"x6"x12"	0.33	3	108
27438	28 OZ	TAN	27438	33.00	12	10.5"x8"x17"	0.83	9	40



DAP® 7000®
VOC-Compliant
Subfloor & Deck
Construction Adhesive



A VOC-compliant, solvent-based formula that meets APA AFG-01 and ASTM Specification D3498. Premium grade, weatherproof formulation reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27042	28 OZ	TAN	27042	28.50	12	10.5"x8"x17"	0.83	8	40

DAP® BEATS THE NAIL®
VOC-Compliant
Paneling & Foam
Construction Adhesive



This VOC-compliant, latex-based formula provides the same superior performance as the solvent-based PANELING & FOAM Construction Adhesive. Won't damage polystyrene foam. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27425	10.3 OZ	WHITE	27425	14.00	12	8"x6"x12"	0.33	9	108

DAP® BEATS THE NAIL®
VOC-Compliant
Cove Base
Construction Adhesive



This VOC-compliant, latex-based adhesive is specially formulated for the rapid installation of vinyl or rubber cove base to most interior wall surfaces. Non-staining and water resistant when dry. Low odor and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25032	10.3 OZ	OFF WHITE	10934	13.25	12	8"x6"x12"	0.33	6	108



**DAP® BEATS THE NAIL®
VOC-Compliant
Tub Surround & Shower Wall
Construction Adhesive**

This VOC-compliant, latex-based formula provides the same superior performance as the solvent-based TUB SURROUND & SHOWER WALL adhesive. Won't harm plastic tub surrounds and shower walls. Low odor and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27420	10.3 OZ	CLEAR	27420	10.18	12	8"x6"x12"	0.33	4	108

**DAP® BEATS THE NAIL®
VOC-Compliant
Moulding & Trim
Construction Adhesive**

This VOC-compliant, latex-based formula is ideal for installing decorative mouldings, medallions, domes, niches and other trim to ceilings and walls. Instant Grab technology holds projects in place instantly and reduces bracing requirements. Repositionable for up to 10 minutes. Meets ASTM Specification C557. Low odor and cleans up easily with soap and water. Paintable. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27410	10.3 OZ	WHITE	27410	14.00	12	8"x6"x12"	0.33	5	108



DAP® WELDWOOD® Multi-Purpose Floor Adhesive

High-strength, trowel-grade, latex-based adhesive for bonding many types of floor coverings over a variety of surfaces. Formula provides greater shrink resistance and allows for easy repositioning during installation. Water resistant. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00141	1 QT	OFF WHITE	00141	16.75	6	15.25"x10.25"x5"	0.45	1	84
00142	1 GA	OFF WHITE	00142	43.25	4	15.5"x15.5"x7.75"	1.08	8	30
00144	4 GA	OFF WHITE	00144	43.00	1	12"x12"x14"	1.17	2	36

DAP® WELDWOOD® Sheet Flooring Adhesive

Trowel-grade, latex-based, water-resistant adhesive designed for the installation of synthetic felt-backed resilient sheet goods. Allows for easy repositioning during installation. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25176	1 QT	OFF WHITE	25176	16.75	6	15.25"x10.25"x5"	0.45	2	84
25178	1 GA	OFF WHITE	25178	43.25	4	15.5"x15.5"x7.75"	1.08	6	30

DAP® WELDWOOD® Wood Floor Adhesive

High-solids, trowel-grade, water-based synthetic adhesive developed specifically for installation of pre-finished wood flooring. For use on, above or below grade. Allows for normal expansion and contraction of wood floor. Good initial grab and firm-setting. Excellent water resistance. Low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25133	1 GA	OFF WHITE	25133	48.00	4	15.5"x15.5"x7.75"	1.08	5	30
25136	4 GA	OFF WHITE	25136	47.75	1	12"x12"x14"	1.17	6	36



DAP® WELDWOOD® Multi-Purpose Ceramic Tile Adhesive

High-strength, trowel-grade, latex-based adhesive for installing ceramic and mosaic tile to floors, walls and countertops. Easy to spread, quick-grab formula requires no bracing. Provides excellent water resistance. Nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 25190 and 25192.

DAP® WELDWOOD® Cove Base Adhesive

Trowel-grade, latex-based adhesive for installing vinyl rubber cove base. Provides good initial tack and easy spreading for rapid installation. No bracing required. Non-staining and excellent water resistance. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 25032, 25053, and 25054.

DAP® WELDWOOD® Carpet Adhesive

High-strength, trowel-grade, latex-based adhesive designed for the installation of most interior carpets. Water resistant when dry. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 00185 and 00186.



DAP® WELDWOOD®
All Weather Outdoor
Carpet Adhesive

High-strength, trowel-grade, solvent-based adhesive for the installation of most outdoor carpets and artificial turfs. Weatherproof formula withstands rain, snow, ice and freezing. Use in cool or hot weather. Fast-grab. Resists curling. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00442	1 QT	TAN	00442	18.00	6	13.5"x9"x5"	0.35	9	144
00443	1 GA	TAN	00443	44.00	4	13.5"x13.5"x8"	0.84	6	45

DAP® WELDWOOD®
Floor Tile Adhesive

Trowel-grade, latex-based, pressure-sensitive adhesive for the installation of interior floor tile. Offers longer working time for easy repositioning. Dries transparent, eliminating dark lines between tiles. Water resistant. Low odor, low VOC content, non-flammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00136	1 QT	CLEAR	00136	14.50	6	15.25"x10.25"x5"	0.45	7	84
00137	1 GA	CLEAR	00137	37.75	4	15.5"x15.5"x7.75"	1.08	4	30
00139	4 GA	CLEAR	00139	37.50	1	12"x12"x14"	1.17	8	36



DAP® Finishing Putty Display
12 Colors, 72 Jars
UPC 17940

Display Dimensions:
 17" wide x 14" deep x 25" high
 Contains six jars of each of the following:

	CASE CODE	COLOR
	21245	White
	21247	Light Oak
	21250	Cherry
	21251	Light Walnut
	21255	Dark Walnut
	21262	Red Oak
	21266	Ebony
	21268	Red Mahogany
	21270	Maple
	21272	Natural Pine
	21274	Pickled Oak
	21276	Natural Oak



DAP® PLASTIC WOOD®
Assortment Rack
8 colors, 108 cans
UPC 17200

Display Dimensions:
 28" wide x 21" deep x 15.5" high
 Contains 12 cans of each of the following:

	CASE CODE	COLOR	SIZE
	21400	Light Oak	4 OZ
	21404	Pine	4 OZ
	21408	Golden Oak	4 OZ
	21420	Red Oak	4 OZ
	21424	Red Mahogany	4 OZ
	21430	Maple	4 OZ
	21434	Walnut	4 OZ
	21502	Natural	4 OZ
	21506	Natural	16 OZ





DAP Products Inc.

2400 Boston Street, Suite 200
Baltimore, MD 21224
(800) 543-3840
www.dap.com

'33', '1012', 2000, 4000, 7000, Alex, Alex Fast Dry, Alex Plus, Beats The Nail, the Black Band, Blend Stick, Blockade, Bondex, Butyl-Flex, Caulk-Be-Gone, CrackShot, DAP, DAPtex Plus, DryDex, Dynaflex 230, Elastopatch, Fast 'N Final, Kwik Foam, Kwik Seal, Kwik Seal Plus, Patch Stick, Painter's Putty '53', Partial Putty Knife, Plastic Wood, Presto Patch, Project Solutions, Quick Plug, Rely-On, Seal 'N Peel, SIDE Winder, StrongStik, the Putty-Knife Logo, Weldwood and You'll find us in all the right places. are registered trademarks of DAP Brands Company.

3.0™, BlueStik™, CONTACT STIK™, DAP CAP™, Primer 920™, Wood Finish Repair Kit™ and Wood Swell & Lock™ are trademarks of DAP Brands Company.

Webpatch™ 90 is a trademark of Bostik Findley Inc., Wauwatosa, WI.

Pro Caulk is a trademark of National Express Inc.

MICROBAN® and the MICROBAN symbol are registered trademarks of the Microban Products Company, Huntersville, NC.